Author index

Abedi-Valugerdi, M. see *Hansson, M.*
Abo, T. see *Nishizawa, T.*
Afanasyeva, M. see *Kaya, Z.*
Ahmed, Z. see *Sandilands, G.P.*
Ahn, K.-S. see *Kim, W.-J.*
Akira, S. see *Van Der Sluijs, K.F.*
Al-Harthi, L. see *Managlia, E.Z.*
Aliberti, J.C. see *Cavassani, K.A.*
Alonso, F. see *Chamorro, S.*
Álvarez, B. see *Chamorro, S.*
Alvarez, J.M.M. see *Bastos, K.R.B.*
An, H. see *Zhou, J.*
Andersson, Å. see *Stenström, M.*
Arens, R. see *Van Der Sluijs, K.F.*
Arredouani, M.S., Kasran, A., Vanoirbeek, J.A., Berger, F.G., Baumann, H. and *Ceuppens, J.L.* Haptoglobin dampens endotoxin-induced inflammatory effects both *in vitro* and *in vivo*, 263

Bai, H., Yang, J., Qiu, H., Wang, S., Fan, Y., Han, X., Xie, S. and *Yang, X.* Intranasal inoculation of *Chlamydia trachomatis* mouse pneumonitis agent induces significant neutrophil infiltration which is not efficient in controlling the infection in mice, 246
Bangia, N. and *Cresswell, P.* Stoichiometric tapasin interactions in the catalysis of major histocompatibility complex class I molecule assembly, 346
Bastos, K.R.B., de Deus Vieira de Moraes, L., Zago, C.A., Marinho, C.R.F., Russo, M., Alvarez, J.M.M. and *D'Império Lima, M.R.* Analysis of the activation profile of dendritic cells derived from the bone marrow of interleukin-12/interleukin-23-deficient mice, 499
Bauer, S. see *Köllisch, G.*
Baumann, H. see *Arredouani, M.S.*
Beal, R.K. see *Philbin, V.J.*
Behrendt, H. see *Köllisch, G.*
Berger, F.G. see *Arredouani, M.S.*
Bień, J. see *Drela, N.*
Biswas, T. see *Ray, A.*
Blumberg, R.S. see *Stirling, C.M.A.*
Boddupalli, C.S. see *Rahim, S.S.*
Boros, D.L. see *Singh, K.P.*
Boyd, Y. see *Philbin, V.J.*
Bruce, M.E. see *Mohan, J.*
Bryson, D.G. see *Welsh, M.D.*
Buisson, S. and *Triebel, F.* LAG-3 (CD223) reduces macrophage and dendritic cell differentiation from monocyte precursors, 369
Bumstead, N. see *Philbin, V.J.*
Bunting, K.A. see *Kumar, S.*
Butler, J.E., Wertz, N., Sun, J. and *Sacco, R.E.* Comparison of the expressed porcine Vβ and Jβ repertoire of thymocytes and peripheral T cells, 184
Butler, J.E. see *McAleer, J.*
Buzzola, F. see *Lucila Scimone, M.*

Cahya, F.F. see *Zhong, F.*
Cao, W. see *Zhong, F.*
Cao, X. see *Zhou, J.*
Capella, L. see *Echevarria-Lima, J.*
Capella, M.A.M. see *Echevarria-Lima, J.*
Cardell, S.L. see *Stenström, M.*
Cavassani, K.A., Aliberti, J.C., Dias, A.R.V., Silva, J.S. and *Ferreira, B.R.* Tick saliva inhibits differentiation, maturation and function of murine bone-marrow-derived dendritic cells, 235
Ceuppens, J.L. see *Arredouani, M.S.*
Cha, H.-S. see *Kim, W.-J.*
Chamorro, S., Revilla, C., Álvarez, B., Alonso, F., Ezquerra, Á. and *Dominguez, J.* Phenotypic and functional heterogeneity of porcine blood monocytes and its relation with maturation, 63
Chan, E. see *Zhong, F.*
Charleston, B. see *Stirling, C.M.A.*
Chen, J. see *Smeltz, R.B.*
Chen, S., Tuttle, D.L., Oshier, J.T., Knot, H.J., Streit, W.J., Goodenow, M.M. and *Harrison, J.K.* Transforming growth factor-β1 increases CXCR4 expression, stromal-derived factor-1α-stimulated signalling and human immunodeficiency virus-1 entry in human monocyte-derived macrophages, 565
Choi, Y.S. see *Park, C.-S.*
Claypool, S. see *Stirling, C.M.A.*
Collins, E.J. see *Kerry, S.E.*
Corbett, D.M. see *Welsh, M.D.*
Crawford, L. see *Li, J.*
Cresswell, P. see *Bangia, N.*
Crittenden, M.R., Thanarajasingam, U., Vile, R.G. and *Gough, M.J.* Intratumoral immunotherapy: using the tumour against itself, 11
Cunningham, R.T. see *Welsh, M.D.*
Cyr, M.M. see *Li, J.*

D'Império Lima, M.R. see *Bastos, K.R.B.*
Danielsson, Å. see *Sund, M.*
Darlow, J.M. and *Stott, D.I.* V_H replacement in rearranged immunoglobulin genes, 155
Davies, C.S., Harris, C.L. and *Paul Morgan, B.* Glycation of CD59 impairs complement regulation on erythrocytes from diabetic subjects, 280
Davison, M. see *Sandilands, G.P.*

von Delwig, A., Musson, J.A., Gray, J., Mckie, N. and *Robinson, J.H.* Major histocompatibility class II molecules prevent destructive processing of exogenous peptides at the cell surface of macrophages for presentation to CD_4 T cells, 194
Denburg, J.A. see *Li, J.*
Deng, X. see *Kawamura, M.*
DePierre, J.W. see *Hansson, M.*
de Deus Vieira de Moraes, L. see *Bastos, K.R.B.*
Dias, A.R.V. see *Cavassani, K.A.*
Djerbi, M. see *Hansson, M.*
Dominguez, J. see *Chamorro, S.*
Drela, N., Bień, J. and *Kozłowska, E.* T-cell homeostasis in mice exposed to airborne xenobiotics, 476

Echevarria-Lima, J., Kyle-Cezar, F., Leite, D.F.P., Capella, L., Capella, M.A.M. and *Rumjanek, V.M.* Expression and activity of multidrug resistance protein 1 in a murine thymoma cell line, 468
Eduardo Chuluyan, H. see *Lucila Scimone, M.*
Elkord, E., Williams, P.E., Kynaston, H. and *Rowbottom, A.W.* Human monocyte isolation methods influence cytokine production from *in vitro* generated dendritic cells, 204
Ezquerra, Á. see *Chamorro, S.*

Fan, Y. see *Bai, H.*
Ferreira, B.R. see *Cavassani, K.A.*
Florquin, S. see *Van Der Sluijs, K.F.*
Frelinger, J.A. see *Kerry, S.E.*
Fujii, K. see *Nishizawa, T.*

Gerard, H.C. see *Singh, K.P.*
Gharibdoost, F. see *Hansson, M.*
Gombert, W.M. see *Lang, G.*
Goodchild, M.J. see *Philbin, V.J.*
Goodenow, M.M. see *Chen, S.*
Gough, M.J. see *Crittenden, M.R.*
Gould, H.J. see *Lang, G.*
Gray, J. see *von Delwig, A.*
Grubeck-Loebenstein, B. see *Lazuardi, L.*

Hammarström, M.-L. see *Sund, M.*
Han, X. see *Bai, H.*
Hansson, M., Djerbi, M., Rabbani, H., Mellstedt, H., Gharibdoost, F., Hassan, M., DePierre, J.W. and *Abedi-Valugerdi, M.* Exposure to mercuric chloride during the induction phase and after the onset of collagen-induced arthritis enhances immune/autoimmune responses and exacerbates the disease in DBA/1 mice, 428
Harris, C.L. see *Davies, C.S.*
Harrison, J.K. see *Chen, S.*
Hasnain, S.E. see *Rahim, S.S.*
Hassan, M. see *Hansson, M.*
He, L. see *Kawamura, M.*
Heegaard, P.M.H. see *Soerensen, C.M.*
Hinks, J.A. see *Kumar, S.*
Holmskov, U. see *Soerensen, C.M.*
Horiuchi, I. see *Kawamura, M.*
Hudson, A.P. see *Singh, K.P.*

Inman, M.D. see *Li, J.*
Iqbal, M. see *Philbin, V.J.*
Isenberg, D.A. see *Kumar, S.*
Issekutz, A.C. see *Lucila Scimone, M.*
Ito, M. see *Kawamura, M.*
Ivanoff, J., Talme, T. and *Sundqvist, K.-G.* The role of chemokines and extracellular matrix components in the migration of T lymphocytes into three-dimensional substrata, 53
Izumi, N. see *Nishizawa, T.*

Jakob, T. see *Köllisch, G.*
Jancic, C. see *Lucila Scimone, M.*
Jansen, H.M. see *Van Der Sluijs, K.F.*
Jenewein, B. see *Lazuardi, L.*
John, S. see *Mitchell, T.J.*

Kalali, B.N. see *Köllisch, G.*
Kalsi, J. see *Kumar, S.*
Kang, Y.-J. see *Kim, W.-J.*
Kasai, H. see *Kawamura, M.*
Kasran, A. see *Arredouani, M.S.*
Katus, H.A. see *Kaya, Z.*
Kawaguchi, S. B-cell reconstitution by transplantation of $B220^+$ $CD117^+$ B-lymphoid progenitors into irradiated mice, 461
Kawamura, H. see *Nishizawa, T.*
Kawamura, M., Kasai, H., He, L., Deng, X., Yamashita, A., Terunuma, H., Horiuchi, I., Tanabe, F. and *Ito, M.* Antithetical effects of hemicellulase-treated *Agaricus blazei* on the maturation of murine bone-marrow-derived dendritic cells, 397
Kawamura, T. see *Nishizawa, T.*
Kaya, Z., Tretter, T., Schlichting, J., Leuschner, F., Afanasyeva, M., Katus, H.A. and *Rose, N.R.* Complement receptors regulate lipopolysaccharide-induced T-cell stimulation, 493
Kemeny, D.M. Immunology – moving on up, 1
Kemeny, D.M. and *Macary, P.A.* The growing complexity of TGF-β as a T-cell regulator, 459
Kerry, S.E., Maile, R., Collins, E.J. and *Frelinger, J.A.* Memory $CD8^+$ T cells require CD8 coreceptor engagement for calcium mobilization and proliferation, but not cytokine production, 44
Khan, N. see *Rahim, S.S.*
Kida, Y., Shimizu, T. and *Kuwano, K.* Conditional expression of liver-enriched transcriptional activator protein augments *Acholeplasma laidlawii*-induced granulysin gene expression in a human monocytic cell line, THP-1, 121
Kim, W.-J., Kang, Y.-J., Koh, E.-M., Ahn, K.-S., Cha, H.-S. and *Lee, W.-H.* LIGHT is involved in the pathogenesis of rheumatoid arthritis by inducing the expression of pro-inflammatory cytokines and MMP-9 in macrophages, 272
Knot, H.J. see *Chen, S.*
Koh, E.-M. see *Kim, W.-J.*
Köllisch, G., Kalali, B.N., Voelcker, V., Wallich, R., Behrendt, H., Ring, J., Bauer, S., Jakob, T., Mempel, M. and *Ollert, M.* Various members of the Toll-like receptor family contribute to the innate immune response of human epidermal keratinocytes, 531

Kozłowska, E. see *Drela, N.*
Kumar, S., Bunting, K.A., Kalsi, J., Hinks, J.A., Latchman, D.S., Pearl, L.H. and *Isenberg, D.A.* Lupus autoantibodies to native DNA preferentially bind DNA presented on PolIV, 418
Kuwano, K. see *Kida, Y.*
Kwakkel, J. see *Van Der Sluijs, K.F.*
Kyle-Cezar, F. see *Echevarria-Lima, J.*
Kynaston, H. see *Elkord, E.*

Landay, A. see *Managlia, E.Z.*
Lang, G., Gombert, W.M. and *Gould, H.J.* A transcriptional regulatory element in the coding sequence of the human *Bcl-2* gene, 23
Latchman, D.S. see *Kumar, S.*
Lazuardi, L., Jenewein, B., Wolf, A.M., Pfister, G., Tzankov, A. and *Grubeck-Loebenstein, B.* Age-related loss of naïve T cells and dysregulation of T-cell/B-cell interactions in human lymph nodes, 37
Lee, W.-H. see *Kim, W.-J.*
Leite, D.F.P. see *Echevarria-Lima, J.*
Lencer, W. see *Stirling, C.M.A.*
Leuschner, F. see *Kaya, Z.*
Li, J., Saito, H., Crawford, L., Inman, M.D., Cyr, M.M. and *Denburg, J.A.* Haemopoietic mechanisms in murine allergic upper and lower airway inflammation, 386
Liang, P. see *Wang, M.*
Liu, S. see *Zhou, J.*
Lu, J. see *Zhong, F.*
Lucila Scimone, M., Lutzky, V.P., Zittermann, S.I., Maffia, P., Jancic, C., Buzzola, F., Issekutz, A.C. and *Eduardo Chuluyan, H.* Migration of polymorphonuclear leucocytes is influenced by dendritic cells, 375
Ludvigsson, J. see *Skarsvik, S.*
Lupton, A. see *Sandilands, G.P.*
Lutter, R. see *Van Der Sluijs, K.F.*
Lutzky, V.P. see *Lucila Scimone, M.*

Mabbott, N.A. see *Mohan, J.*
Macary, P.A. see *Kemeny, D.M.*
Maffia, P. see *Lucila Scimone, M.*
Maile, R. see *Kerry, S.E.*
Managlia, E.Z., Landay, A. and *Al-Harthi, L.* Interleukin-7 signalling is sufficient to phenotypically and functionally prime human $CD4^+$ naïve T cells, 322
Marinho, C.R.F. see *Bastos, K.R.B.*
Martyn Girvin, R. see *Welsh, M.D.*
McAleer, J., Weber, P., Sun, J. and *Butler, J.E.* Antibody repertoire development in fetal and neonatal piglets. XI. The thymic B-cell repertoire develops independently from that in blood and mesenteric lymph nodes, 171
Mckie, N. see *von Delwig, A.*
McNair, J. see *Welsh, M.D.*
McSorley, S.J. see *Ravindran, R.*
Mellstedt, H. see *Hansson, M.*
Mempel, M. see *Köllisch, G.*
Meyer, K.B. B-Myb as a critical regulator of Bcl-2 in human B cells, 22
Mfinanga, S.G.M. see *Mustafa, T.*
Mitchell, T.J. and *John, S.* Signal transducer and activator of transcription (STAT) signalling and T-cell lymphomas, 301
Mogga, S.J. see *Mustafa, T.*
Mohan, J., Bruce, M.E. and *Mabbott, N.A.* Follicular dendritic cell dedifferentiation reduces scrapie susceptibility following inoculation via the skin, 225
Mørkve, O. see *Mustafa, T.*
Mukhopadhyay, S. see *Rahim, S.S.*
Musson, J.A. see *von Delwig, A.*
Mustafa, T., Mogga, S.J., Mfinanga, S.G.M., Mørkve, O. and *Sviland, L.* Significance of Fas and Fas ligand in tuberculous lymphadenitis, 255

Nielsen, O.L. see *Soerensen, C.M.*
Nijhuis, M. see *Van Der Sluijs, K.F.*
Nishizawa, T., Kawamura, T., Izumi, N., Kawamura, H., Fujii, K. and *Abo, T.* No mixing of granulocytes and other lymphocytes in the inflamed joints of parabiosis mice with collagen-induced arthritis: possible *in situ* generation, 133

Ollert, M. see *Köllisch, G.*
Oshier, J.T. see *Chen, S.*

Packham, G. and *Stevenson, F.K.* Bodyguards and assassins: Bcl-2 family proteins and apoptosis control in chronic lymphocytic leukaemia, 441
Park, C.-S. and *Choi, Y.S.* How do follicular dendritic cells interact intimately with B cells in the germinal centre?, 2
Patrick, A.J. see *Sajic, D.*
Paul Morgan, B. see *Davies, C.S.*
Pearl, L.H. see *Kumar, S.*
Pennell, C.A. Heat shock proteins in immune response in the Fall of 2004, 297
Perry, N. see *Sandilands, G.P.*
Pfister, G. see *Lazuardi, L.*
Philbin, V.J., Iqbal, M., Boyd, Y., Goodchild, M.J., Beal, R.K., Bumstead, N., Young, J. and *Smith, A.L.* Identification and characterization of a functional, alternatively spliced Toll-like receptor 7 (TLR7) and genomic disruption of TLR8 in chickens, 507
Pollock, J.M. see *Welsh, M.D.*

Qian, B.-F. see *Sund, M.*
Qiu, H. see *Bai, H.*

Rabbani, H. see *Hansson, M.*
Rahim, S.S., Khan, N., Boddupalli, C.S., Hasnain, S.E. and *Mukhopadhyay, S.* Interleukin-10 (IL-10) mediated suppression of IL-12 production in RAW264.7 cells also involves c-rel transcription factor, 313
Rahman, A. see *Sund, M.*
Ravindran, R. and *McSorley, S.J.* Tracking the dynamics of T-cell activation in response to *Salmonella* infection, 450
Ray, A. and *Biswas, T.* Porin of *Shigella dysenteriae* enhances Toll-like receptors 2 and 6 of mouse peritoneal B-2 cells and induces the expression of immunoglobulin M, immunoglobulin G2a and immunoglobulin A, 94
Reddy, T.R. see *Singh, K.P.*
Revilla, C. see *Chamorro, S.*

Ring, J. see *Köllisch, G.*
Robinson, J.H. see *von Delwig, A.*
Rose, N.R. see *Kaya, Z.*
Rosenthal, K.L. see *Sajic, D.*
Rowbottom, A.W. see *Elkord, E.*
Rumjanek, V.M. see *Echevarria-Lima, J.*
Russo, M. see *Bastos, K.R.B.*

Sacco, R.E. see *Butler, J.E.*
Saito, H. see *Li, J.*
Sajic, D., Patrick, A.J. and *Rosenthal, K.L.* Mucosal delivery of CpG oligodeoxynucleotides expands functional dendritic cells and macrophages in the vagina, 213
Sandilands, G.P., Ahmed, Z., Perry, N., Davison, M., Lupton, A. and *Young, B.* Cross-linking of neutrophil CD11b results in rapid cell surface expression of molecules required for antigen presentation and T-cell activation, 354
Schlichting, J. see *Kaya, Z.*
Schuurman, R. see *Van Der Sluijs, K.F.*
Shevach, E.M. see *Smeltz, R.B.*
Shimizu, T. see *Kida, Y.*
Silva, J.S. see *Cavassani, K.A.*
Singh, K.P., Gerard, H.C., Hudson, A.P., Reddy, T.R. and *Boros, D.L.* Retroviral Foxp3 gene transfer ameliorates liver granuloma pathology in *Schistosoma mansoni* infected mice, 410
Skarsvik, S., Ludvigsson, J. and *Vaarala, O.* Aberrant regulation of interleukin-12 receptor β_2 chain on type 1 cytokine-stimulated T lymphocytes in type 1 diabetes, 287
Sköld, M. see *Stenström, M.*
Skuce, R.A. see *Welsh, M.D.*
Smeltz, R.B., Chen, J. and *Shevach, E.M.* Transforming growth factor-β1 enhances the interferon-γ-dependent, interleukin-12-independent pathway of T helper 1 cell differentiation, 484
Smith, A.L. see *Philbin, V.J.*
Soerensen, C.M., Nielsen, O.L., Willis, A., Heegaard, P.M.H. and *Holmskov, U.* Purification, characterization and immunolocalization of porcine surfactant protein D, 72
Stenström, M., Sköld, M., Andersson, Å. and *Cardell, S.L.* Natural killer T-cell populations in C57BL/6 and NK1.1 congenic BALB.NK mice—a novel thymic subset defined in BALB.NK mice, 336
Stevenson, F.K. see *Packham, G.*
Stirling, C.M.A., Charleston, B., Takamatsu, H., Claypool, S., Lencer, W., Blumberg, R.S. and *Wileman, T.E.* Characterization of the porcine neonatal Fc receptor—potential use for trans-epithelial protein delivery, 542
Stott, D.I. see *Darlow, J.M.*
Streit, W.J. see *Chen, S.*
Sun, J. see *Butler, J.E.*
Sun, J. see *McAleer, J.*
Sund, M., Xu, L.L., Rahman, A., Qian, B.-F., Hammarström, M.-L. and *Danielsson, Å.* Reduced susceptibility to dextran sulphate sodium-induced colitis in the interleukin-2 heterozygous (IL-$2^{+/-}$) mouse, 554
Sundqvist, K.-G. see *Ivanoff, J.*
Sviland, L. see *Mustafa, T.*

Takamatsu, H. see *Stirling, C.M.A.*
Talme, T. see *Ivanoff, J.*
Tanabe, F. see *Kawamura, M.*
Tay, P.N. see *Zhong, F.*
Terunuma, H. see *Kawamura, M.*
Thanarajasingam, U. see *Crittenden, M.R.*
Tretter, T. see *Kaya, Z.*
Triebel, F. see *Buisson, S.*
Tuttle, D.L. see *Chen, S.*
Tzankov, A. see *Lazuardi, L.*

Vaarala, O. see *Skarsvik, S.*
Van Der Poll, T. see *Van Der Sluijs, K.F.*
Van Der Sluijs, K.F., Van Elden, L.J.R., Arens, R., Nijhuis, M., Schuurman, R., Florquin, S., Kwakkel, J., Akira, S., Jansen, H.M., Lutter, R. and *Van Der Poll, T.* Enhanced viral clearance in interleukin-18 gene-deficient mice after pulmonary infection with influenza A virus, 111
Van Elden, L.J.R. see *Van Der Sluijs, K.F.*
Vanoirbeek, J.A. see *Arredouani, M.S.*
Vile, R.G. see *Crittenden, M.R.*
Voelcker, V. see *Köllisch, G.*

Wallich, R. see *Köllisch, G.*
Wang, M. and *Liang, P.* Interleukin-24 and its receptors, 166
Wang, S. see *Bai, H.*
Weber, P. see *McAleer, J.*
Welsh, M.D., Cunningham, R.T., Corbett, D.M., Martyn Girvin, R., McNair, J., Skuce, R.A., Bryson, D.G. and *Pollock, J.M.* Influence of pathological progression on the balance between cellular and humoral immune responses in bovine tuberculosis, 101
Wertz, N. see *Butler, J.E.*
Wileman, T.E. see *Stirling, C.M.A.*
Williams, P.E. see *Elkord, E.*
Willis, A. see *Soerensen, C.M.*
Wolf, A.M. see *Lazuardi, L.*

Xie, S. see *Bai, H.*
Xu, H. see *Zhou, J.*
Xu, L.L. see *Sund, M.*

Yamashita, A. see *Kawamura, M.*
Yang, J. see *Bai, H.*
Yang, X. see *Bai, H.*
Young, B. see *Sandilands, G.P.*
Young, J. see *Philbin, V.J.*

Zago, C.A. see *Bastos, K.R.B.*
Zhang, H. see *Zhong, F.*
Zhong, F., Cao, W., Chan, E., Tay, P.N., Cahya, F.F., Zhang, H. and *Lu, J.* Deviation from major codons in the Toll-like receptor genes is associated with low Toll-like receptor expression, 83
Zhou, J., An, H., Xu, H., Liu, S. and *Cao, X.* Heat shock up-regulates expression of Toll-like receptor-2 and Toll-like receptor-4 in human monocytes via p38 kinase signal pathway, 522
Zittermann, S.I. see *Lucila Scimone, M.*

Subject index

aging, 37
allergy, 386
antibody responses, 101
antigen presentation, 194, 213, 354
apoptosis, 25, 441
Arthritis, 272
asthma, 386
autoantibodies, 418
autoimmunity, 418, 428

B-2 cell, 94
B
  cells, 2, 461
  lymphocytes, 25, 37, 171
bacteria, 450
Bax, 441
B-cell parabiosis, 133
Bcl-2, 441
Bcl-2 gene, 25
B-Myb, 25
bone marrow, 476

CCAAT/enhancer binding protein β, 121
CCR5, 565
CD14, 83
CD163, 63
CD59, 280
CD86, 94
CD8 coreceptor, 44
CD11b, 354
CD1-restricted/natural killer T cells, 336
cell
  adhesion, 53
  development/differentiation, 336
  differentiation, 369
  migration, 53
  motility, 53
  surface molecules, 322, 493
cellular activation, 493
chemokine, 11, 246
chemokines, 53
chicken, 507
Chlamydia trachomatis, 246
chronic lymphocytic leukaemia, 441
codon usage, 83
collagen-induced arthritis, 133, 428
collectins, 72
comparative immunology, 507
complement, 280, 493
costimulation, 235
co-stimulation/costimulatory molecules, 397
cross-linking, 354
CTL, 204
CXCL8/iL8, 375
CXCR4, 565
CXCR-2, 246
cytokine, 112
  expression, 554
cytokines, 204, 313, 322
Cytokines/interleukins, 272, 397
cytoplasmic stores, 354

DBA/1 mice, 428
delivery, 542
dendritic
  cell, 11, 369
  cells, 204, 235, 397, 499
development, 184
diabetes, 280
DSS colitis, 554

enhancer, 25
environmental xenobiotics, 476
eosinophils, 386
expression, 83
extracellular matrix, 53

Fas, 255
Fas-ligand, 255
FcRn, 542
follicular dendritic
  cell, 225
  cells, 2
Foxp3 gene expression, 410
fungi, 397

gene knockout, 246
germinal centre, 2
glycation, 280
granulocyte, 133
granulysin, 121

HaCaT cells, 531
haptoglobin, 263
heat shock, 522
HIV-1, 565
human, 418
  lymph nodes, 37
humans, 322

IFN-γ, 484
IgA, 94
IgG2a, 94
IL-12, 499
IL-13, 287
IL-20, 166
IL-23, 499
IL-24, 166
IL-2 heterozygous mice, 554
IL-12R, 287
immunoglobulin genes, 155
immunolocalization, 72
immunology, 72
immunomodulation, 235
immunotherapy, 11
indomethacin, 468
infiltration, 53
inflammation, 112
influenza, 112
innate immunity, 72
  of the skin, 531
interferon-γ, 101
interleukin-6, 522
isotype switching, 171

latent, 255
lipopolysaccharide, 204, 263, 493
liver-enriched transcriptional
  activator protein, 121
  inhibitory protein, 121
LPS, 531
lung, 112
lupus, 418
lymphadenitis, 255
lymphoma, 2
lymphotoxin, 225

macrophages, 194, 313, 565
Macrophages/Monocytes, 272
major histocompatibility complex
  class II, 194
  tetramer, 44
maturation, 63
Mcl-1, 441
MDA-7, 166
memory, 44, 450
mercuric chloride, 428
MHC, 346
  Class II, 369
mice, 461
microglia, 565

migration, 375
MK 571, 468
mob-5, 166
monocyte, 522
  subsets, 63
monocytes, 204, 369
MRP, 468
  inhibitors, 468
mucosa, 213
mucosal, 542
murine, 386
Mycobacterium bovis, 101

natural killer receptors, 336
negative regulation, 301
neutrophil, 246
neutrophils, 354, 375
NF-κB, 531
  activation, 83
nitric oxide, 499

ontogeny, 171

p38 kinase, 522
PECAM-1/CD31, 375
phophatases, 301
pig, 63
PolIV, 418
porcine, 72, 542
porin, 94
proinflammatory cytokines, 263
proliferation, 101
protein stability, 346

R848, 507
receptor
  editing, 155
  revision, 155
regulatory T cells, 554
repertoire, 184
  development, 171
rhinitis, 386
Rhipicephalus sanguineus, 235

Salmonella, 450
Schistosome granuloma, 410
scrapie, 225
secondary rearrangement, 155
septic shock, 263
skin, 225
STATs, 301
stem
  cells, 461
  cell/bone marrow transplantation, 461
stoichiometry, 346
surfactant protein D, 72
swine, 184

T cell, 11, 184, 450
  function, 554
  cells, 194, 287, 322
  cells (Th0, Th1), 101
  lymphocytes, 37, 493
TAP, 346

tapasin, 346
T-cell
  differentiation, 476, 484
  homeostasis, 476
  lymphoma, 301
  receptor, 336
TGF-β1, 484, 499
Th1/Th2, 484
  cytokines, 428
thymoma cell line, 468
thymus, 171, 184, 476
tick, 235
T-leukaemia cells, 53
TLR7, 507
TLR8, 507
Toll-like receptor, 83, 94, 522
transcription factors/gene regulation, 313
transcytosis, 542
transmissible spongiform encephalopathy, 225
truncated STATs, 301
tuberculosis, 255
tumour, 11
  necrosis factor-α, 63
type 1 diabetes, 287

vaccination, 450
V_H replacement, 155
viral, 213

© 2005 Blackwell Publishing Ltd,